

Port of Brookings Harbor

WEEKLY OPERATION REPORT

DATE: Sunday 09/17/17 to Saturday 09/23/17

Port Office

1. Port employs eight (8) full-time hourly employees and one (1) salary employee. Payroll averages 36k/month.
2. Currently, the Port is operating RV Park, Boat Yard, Fuel Dock, Marina, Gear Storage and Retail Center seven days a week. RV Park and Port offices closed on weekends.
3. Approximate end of the week QuickBooks balances for the Port:

- \$ 55,663 General Fund
 - \$ 44,013 Fuel Dock Account
 - \$ 1,913 Cash on Hand/Petty Cash (RV Park, fuel dock and office)
 - **\$101,589 GENERAL FUND, as of 9/23/17. 30-Day reserve amount needed \$179,505 (without depreciation)**
-
- \$ 72,822 **Capital Projects Fund** (To keep pace with Deprecation need \$7,533 weekly)
FEMA Basin 1 Piling Project – Estimated Port share \$250,000 (Postponed to FY 18-19)
OSMB Grant – Boarding Dock Replacement – Port share \$60,000 (25k cash)
 - \$ 8,112 **Debt Service Fund** \$62,500 Quarterly (IFA Business Oregon)
Week 12, next payment due Dec 31 (*Sept payment mailed*)
(\$4,807.69 average each week to reach payment, currently \$0 short)
 - \$ 7,000 **Debt Service Fund** \$4,659 Monthly (Travel Lift Lease)
Week 1, payment due 22nd each month
(\$1,164.75 average each week to reach payment, currently \$0 short)
 - \$128,145 **Revenue Bond Fund** \$143,132 Yearly (\$13,012 must remain in fund)
USDA Loan - \$130,120, payment due Nov 5th – Week 46
(\$2,502.30 average each week to reach payment, currently \$0 short)
 - \$ 11,000 **Reserve Fund** (Approx. Total Deprecation to date \$5,296,203. Yearly amount \$391,741)
 - **\$227,079 RESTRICTED FUNDS, as of 9/23/17. 30-Day reserve amount needed to transfer from General Fund for Debt Funds \$38,820**

-
- \$328,668 Total, as of 9/23/17. **30-Day reserve amount \$77,916 short (add \$30,132 for depreciation)**

-
- \$ 48,592 **ACCOUNTS RECEIVABLE, as of 9/23/17**
1-30 days 38,955 / 31-60 days 2,845 / 61-90 days 1,800 / 90+ 4,992
 - \$ 11,703 **ACCOUNTS PAYABLE, as of 9/23/17**
1-30 days 11,703 / 31-60 days 0 / 61-90 days 0 / 90+ 0

-
- \$375,000 6 - Missed Quarterly IFA Payments, due to March 2011 Tsunami damage
 - \$ 44,419 Extra payments paid to date
 - \$330,581 Remaining amount (Approximately)

Port of Brookings Harbor

WEEKLY OPERATION REPORT

DATE: Sunday 09/17/17 to Saturday 09/23/17

4. Capital Projects Fund: Upcoming projects that are Priority 1:
 - Repair damaged electrical infrastructure Sites 29 to 57 at RV Park – Estimate cost TBD.
 - Repair and upgrade Slugs N Stones sewer tank – Cost 15k.
 - Purchase trench drain for boat launch ramp and install – Estimate cost 20k.
5. General Fund: Upcoming expenditures:
 - Purchase telehandler if approved by IFA.
6. Meetings:
 - Office staff meeting.
 - Commissioner Regular Monthly Meeting.
 - John McDonough/ex-employee of the port regarding deduction meters for water and sewer.
 - Marilyn Busch regarding leased land purchase.
 - Oregon South Coast Fishermen monthly meeting to provide a Port update.
 - Safety meeting with field crew to review SPCC Plan at the fuel dock.
 - Office staff met with Port of Crescent City staff and tour port to review their operations.
7. Reviewed Pacific Excavation submittal to repair and upgrade Slug's N Stones sewer tank system. Package was submitted to Harbor Sanitary for approval.
8. Copy of Board approved lease was hand delivered to J Sloane Hair Studio for review and approval. Original set remains in Port Office for signature.
9. Resolution No. 481 for real property sale across Lower Harbor Road was emailed to Curry County Title Company.

RV Park

1. Landscaping done by port staff.
2. Continue repairing / rebuilding damaged perimeter fence.
3. Repair broken spigot at Site 37.
4. Sealed outside shower drain at the main restroom.
5. Sealed outside shower drain at the secondary restroom.
6. Checked the shower drains in the main restroom to determine the type of sand trap was installed. Still working to find the brand or type installed. The floor drains at the toilets do not have a sand trap.
7. Received a call from Coast Guard at 3pm regarding water loss at their facility and wanted to know if the Port knew what was going on. The Port had no planned outage. Turns out a lateral line to Best Western broke next to Sabastian's Restaurant on Boat Bains Road. The water outage affected Coast Guard, RV Park, Basin 2 Sport Docks and restroom. Port installed signs at the restrooms not to use and notified the guests in the park. Harbor Water District restored service between 8 & 9pm.
8. Repair broken spigot at Site 87.

Docks – Basin 1 & 2 and Transient

1. Boat inventory completed for both basins.
2. Completed monthly inspection on Sani-Sailors (marine sewer pump outs).
3. Received a phone call from Coast Guard of a large tree floating in Basin 2 and a vessel on A Dock with tie line issues.
4. Removed large tree (35' to 40') from Basin 2. Took the tree to the work dock and tied it up for removal later.
5. Retie bow line Basin 1 A-31.
6. Retie stern line Basin 1 A-25.
7. Fishermen display signs were removed from Basin 2 parking lot area and placed in the warehouse.
8. Removed broken / worn-out dock box from Basin 1 C-27.
9. Reinstalled hanger for fire extinguisher in Basin 1 A Dock.
10. Repair broken hose bib at Basin 2 O-20.

Port of Brookings Harbor

WEEKLY OPERATION REPORT

DATE: Sunday 09/17/17 to Saturday 09/23/17

Boat Yard

1. Placed vessel Hecate back in the water.
2. Placed vessel Lady Louise back in the water.
3. Continue working on exit dock from travel lift ramp.
4. Hauled out and blocked vessel Rogue.

Maintenance Yard / Shop

1. Continue cleanup of maintenance shop and yard.
2. Fabricating trench drain sections inside the warehouse.
3. Port employee had an accident with Eq# 1108 Ford Truck. The truck struck the warehouse walk-in door and wall. Some damage was done to the bumper on the truck and warehouse door and wall. Repairs were started on the warehouse and truck was placed out of service until further review.

Boat Launch Parking Lot

1. Fish Station cleaned by Port staff as needed.
2. Received trench drain materials and all three pallets were damaged. Some of the trench pieces were damaged. Made a list of damaged pieces to be replaced by the shipper or supplier.

Commercial Fishing Docks / Gear Storage

1. Checked BC Fisheries dock construction and nothing has been done since the wildfire broke out. Contacted Dave Hoover and he's supposed to be back working on the project.
2. Removed gear, equipment and material from vessel Chantel C (Travis and Brent). Used rental telehandler and Eq# 4605 Port Boat.

Retail / Boardwalk

1. Trash removal by Port staff as needed throughout the Port.
2. Restroom cleaning and restocking by Port staff every day.
3. Removed benches that were questionable for public use from the boardwalk and courtyard areas.
4. Completed monthly inspection and service of Mainbrace sewer tank.
5. All rain gutters were cleaned out on the retail buildings.
6. Retail sewer Pump No. 2 was clogged with debris. Pump was cleared.
7. Changed the operating time on the courtyard lights for more appropriate time.
8. Installed notification equipment on Retail sewer system. When the sewer reaches the high-water float, it will automatically call staff of the alarm. Hardware was installed, working on the software installation.
9. Found one of the floats in the Retail sewer tank broken. Replacement float was ordered and is under warranty.
10. Saturday Market was held on the boardwalk hosted by Chetco Brewing.

Fuel Dock

1. 1,224 gallons of diesel and 146 gallons of gas was pumped this week. 6 vessels.
2. Approximate inventory in the aboveground tanks for diesel 5,440 and non-ethanol 1,188.
3. Carson Oil delivered 2,800 gallons of diesel fuel after delivering fuel to the Coast Guard.

Security

1. South Coast Knight Security patrolling the Port properties.

Port of Brookings Harbor

WEEKLY OPERATION REPORT

DATE: Sunday 09/17/17 to Saturday 09/23/17

FEMA / OEM / PW's

1. None

Miscellaneous & Attachments

1. Balance Sheet as of 09-23-17.
2. Two-week work schedule of actuals and planned activities.
3. Incident Report on water outage at RV Park and Basin 2.
4. Restroom daily checklist performed by port staff week ending 09-17-17.
5. South Coast Knight Security Reports.
6. Photos of trench drain materials and fabrication.
7. Photos of damage truck and warehouse.

Port of Brookings Harbor
Balance Sheet
As of September 23, 2017

	<u>Sep 23, 17</u>
Checking/Savings	
1001 · CASH & CASH EQUIVALENTS	
1002 · General Funds Ckg 3634	55,662.73
1003 · FUEL DOCK	44,013.05
Total 1001 · CASH & CASH EQUIVALENTS	<u>99,675.78</u>
1004 · RESTRICTED - CASH/EQUIVALENTS	
1005 · Capital Projects Fund 8018	
RESERVE FUND	11,000.00
1005 · Capital Projects Fund 8018 - Other	72,822.18
Total 1005 · Capital Projects Fund 8018	<u>83,822.18</u>
1007 · USDA BOND MM 9529	128,145.20
1008 · Debt Service Fund MM 8627	
IFA LOAN SAVINGS	8,112.01
TRAVEL LIFT	7,000.00
Total 1008 · Debt Service Fund MM 8627	<u>15,112.01</u>
Total 1004 · RESTRICTED - CASH/EQUIVALENTS	<u>227,079.39</u>
1012 · Cash on Hand/Petty Cash	
1014 · Office/Bookkeeper Drawer	192.85
1015 · Fuel Dock Cash Drawer	400.00
1018 · RV Park Cash Drawer	920.00
1022 · Office/Danielle	200.00
1023 · Office/Skylar	200.00
Total 1012 · Cash on Hand/Petty Cash	<u>1,912.85</u>
Total Checking/Savings	<u>328,668.02</u>

#	Priority	Description	Location	A = Actual							2 Week Look-Ahead														
				11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	1	
47	3	Repaint Pavement Arrows and Lines	RV Park																						
48	3	Repair Benches (Splinters) Throughout Park	RV Park																						

Date: 9/21/2017

Day: Thursday

Time: 3PM

What Happen:

Received call from Coast Guard that they had no water at their facility. Contacted Brent - Port employee to find out what is going on and report back. Brent found the main waterline was broken by Sabastian's Restaurant on Boat Basin Road. Harbor Water was contacted. Water service was out at the RV Park, Basin 2 sport docks and restroom. Water service was restored between 8 and 9pm today.

Location: 16011 Boat Basin Road, Oregon 97415

Who was Involved:

Name: Harbor Water District

Address: _____

City: _____

Phone #: _____

Witness (if any):

Name: None

Address: _____

City: _____

Phone #: _____

Corrective Action Taken:

None

Report Written By: Gary Dehlinger, Port Manager 

Report Date: 9/22/2017



PORT OF BROOKINGS HARBOR

35
26
19
39

RESTROOM DAILY CHECKLIST

Ensure that the restroom is clean and sanitary

Acceptable							Needs Attention							Location: Boat Launch
M	T	W	T	F	S	S	M	T	W	T	F	S	S	Day of the week
X	X	X	X	X	X	X								Toilet and toilet seats cleaned, disinfected, wiped dry
					X									Urinal handles cleaned, disinfected, wiped dry
					X									Urinal screens cleaned and blocks replaced
														Sinks and fixtures cleaned, disinfected, wiped dry
														Mirrors cleaned
														Door handles, wall switches and other high contact areas cleaned, disinfected, wiped dry
														Toilet paper and seat covers restocked
														Soap and paper dispensers disinfected and restocked
														Trash cans emptied, new liners put in place
														Floors free of paper and trash
														Feminine hygiene dispensers cleaned, disinfected and restocked, new liners put in place
														Countertops, ledges, etc. cleaned, disinfected, wiped dry
														Floor drains and drain covers are open and free of debris
														Lights are functioning
														Ceiling, walls, vents cleaned, disinfected, wiped dry
														Floor has been mopped clean with proper cleaning or disinfecting solution
		X	X	X	X									Restroom looks and smells clean
SA	SA	SH	SA	SA	SK	SA								
Cleaned By: _____ Inspected By: _____ Date: _____														
Week Ending: 9-17-17														

PORT OF BROOKINGS HARBOR

RESTROOM DAILY CHECKLIST

Ensure that the restroom is clean and sanitary

Acceptable								Needs Attention								Location: Retail Center	
M	T	W	T	F	S	S	M	T	W	T	F	S	S	Day of the week			
X	X	X	X	X	X	X								Toilet and toilet seats cleaned, disinfected, wiped dry			
														Urinal handles cleaned, disinfected, wiped dry			
														Urinal screens cleaned and blocks replaced			
														Sinks and fixtures cleaned, disinfected, wiped dry			
														Mirrors cleaned			
														Door handles, wall switches and other high contact areas cleaned, disinfected, wiped dry			
														Toilet paper and seat covers restocked			
														Soap and paper dispensers disinfected and restocked			
														Trash cans emptied, new liners put in place			
														Floors free of paper and trash			
														Feminine hygiene dispensers cleaned, disinfected and restocked, new liners put in place			
														Countertops, ledges, etc. cleaned, disinfected, wiped dry			
														Floor drains and drain covers are open and free of debris			
														Lights are functioning			
														Ceiling, walls, vents cleaned, disinfected, wiped dry			
														Floor has been mopped clean with proper cleaning or disinfecting solution			
		X	X	X	X									Restroom looks and smells clean			
SA	SA	SA	SA	SA	SA	SA											
Cleaned By: _____ Inspected By: _____ Date: _____																	
Week Ending: <u>9-17-17</u>																	

PORT OF BROOKINGS HARBOR

RESTROOM DAILY CHECKLIST

Ensure that the restroom is clean and sanitary

Acceptable							Needs Attention							Location: Basin 2 - Eastside	
M	T	W	T	F	S	S	M	T	W	T	F	S	S	Day of the week	
X	X	X	X	X	X	X								Toilet and toilet seats cleaned, disinfected, wiped dry	
														Urinal handles cleaned, disinfected, wiped dry	
														Urinal screens cleaned and blocks replaced	
														Sinks and fixtures cleaned, disinfected, wiped dry	
														Mirrors cleaned	
														Door handles, wall switches and other high contact areas cleaned, disinfected, wiped dry	
														Toilet paper and seat covers restocked	
														Soap and paper dispensers disinfected and restocked	
														Trash cans emptied, new liners put in place	
														Floors free of paper and trash	
														Feminine hygiene dispensers cleaned, disinfected and restocked, new liners put in place	
														Countertops, ledges, etc. cleaned, disinfected, wiped dry	
														Floor drains and drain covers are open and free of debris	
														Lights are functioning	
														Ceiling, walls, vents cleaned, disinfected, wiped dry	
														Floor has been mopped clean with proper cleaning or disinfecting solution	
														Restroom looks and smells clean	
														Shower stalls cleaned, disinfected, wiped dry	
		X	X	X	X									Shower heads cleaned, disinfected and in place	
SA SA SH SA SH SA SA															
Cleaned By:							Inspected By:							Date:	
Week Ending: 9-17-17															

PORT OF BROOKINGS HARBOR

RESTROOM DAILY CHECKLIST

Ensure that the restroom is clean and sanitary

Acceptable							Needs Attention							Location: Basin 2 - Westside		
M	T	W	T	F	S	S	M	T	W	T	F	S	S	Day of the week		
X	X	X	X	X	X	X								Toilet and toilet seats cleaned, disinfected, wiped dry		
														Urinal handles cleaned, disinfected, wiped dry		
														Urinal screens cleaned and blocks replaced		
														Sinks and fixtures cleaned, disinfected, wiped dry		
														Mirrors cleaned		
														Door handles, wall switches and other high contact areas cleaned, disinfected, wiped dry		
														Toilet paper and seat covers restocked		
														Soap and paper dispensers disinfected and restocked		
														Trash cans emptied, new liners put in place		
														Floors free of paper and trash		
														Feminine hygiene dispensers cleaned, disinfected and restocked, new liners put in place		
														Countertops, ledges, etc. cleaned, disinfected, wiped dry		
														Floor drains and drain covers are open and free of debris		
														Lights are functioning		
														Ceiling, walls, vents cleaned, disinfected, wiped dry		
														Floor has been mopped clean with proper cleaning or disinfecting solution		
		X	X	X	X									Restroom looks and smells clean		
SA	SA	SA	SA	SA	SA	SA										
Cleansed By:													Inspected By:		Date:	
Week Ending: 9-17-17																

PORT OF BROOKINGS HARBOR

RESTROOM DAILY CHECKLIST

Ensure that the restroom is clean and sanitary

Acceptable							Needs Attention							Location: Main RV Park	
M	T	W	T	F	S	S	M	T	W	T	F	S	S	Day of the week	
X	X	X	X	X	X	X								Toilet and toilet seats cleaned, disinfected, wiped dry	
														Urinal handles cleaned, disinfected, wiped dry	
														Urinal screens cleaned and blocks replaced	
														Sinks and fixtures cleaned, disinfected, wiped dry	
														Mirrors cleaned	
														Door handles, wall switches and other high contact areas cleaned, disinfected, wiped dry	
														Toilet paper and seat covers restocked	
														Soap and paper dispensers disinfected and restocked	
														Trash cans emptied, new liners put in place	
														Floors free of paper and trash	
														Feminine hygiene dispensers cleaned, disinfected and restocked, new liners put in place	
														Countertops, ledges, etc. cleaned, disinfected, wiped dry	
														Floor drains and drain covers are open and free of debris	
														Lights are functioning	
														Ceiling, walls, vents cleaned, disinfected, wiped dry	
														Floor has been mopped clean with proper cleaning or disinfecting solution	
														Restroom looks and smells clean	
														Shower stalls cleaned, disinfected, wiped dry	
														Shower heads cleaned, disinfected and in place	
SA SA SA SA SA SA SA															
Cleansed By:							Inspected By:							Date:	
Week Ending: 9-17-17															

PORT OF BROOKINGS HARBOR

RESTROOM DAILY CHECKLIST

Ensure that the restroom is clean and sanitary

Acceptable							Needs Attention							Location: Secondary RV Park
M	T	W	T	F	S	S	M	T	W	T	F	S	S	Day of the week
X	X	X	X	X	X	X								Toilet and toilet seats cleaned, disinfected, wiped dry
X	X	X	X	X	X	X								Urinal handles cleaned, disinfected, wiped dry
X	X	X	X	X	X	X								Urinal screens cleaned and blocks replaced
X	X	X	X	X	X	X								Sinks and fixtures cleaned, disinfected, wiped dry
X	X	X	X	X	X	X								Mirrors cleaned
X	X	X	X	X	X	X								Door handles, wall switches and other high contact areas cleaned, disinfected, wiped dry
X	X	X	X	X	X	X								Toilet paper and seat covers restocked
X	X	X	X	X	X	X								Soap and paper dispensers disinfected and restocked
X	X	X	X	X	X	X								Trash cans emptied, new liners put in place
X	X	X	X	X	X	X								Floors free of paper and trash
X	X	X	X	X	X	X								Feminine hygiene dispensers cleaned, disinfected and restocked, new liners put in place
X	X	X	X	X	X	X								Countertops, ledges, etc. cleaned, disinfected, wiped dry
X	X	X	X	X	X	X								Floor drains and drain covers are open and free of debris
X	X	X	X	X	X	X								Lights are functioning
X	X	X	X	X	X	X								Ceiling, walls, vents cleaned, disinfected, wiped dry
X	X	X	X	X	X	X								Floor has been mopped clean with proper cleaning or disinfecting solution
X	X	X	X	X	X	X								Restroom looks and smells clean
X	X	X	X	X	X	X								
X	X	X	X	X	X	X								

Cleaned By:

Inspected By:

Date:

Week Ending:

9-17-17

PORT OF BROOKINGS HARBOR

RESTROOM DAILY CHECKLIST

Ensure that the restroom is clean and sanitary

Acceptable							Needs Attention							Location: Fish Station	
M	T	W	T	F	S	S	M	T	W	T	F	S	S	Day of the week	
X	X	X	X	X	X	X								Tables cleaned, disinfected, wiped dry	
														Table screens cleaned, disinfected, wiped dry	
														Walls cleaned, disinfected, wiped dry	
														Floor drains and drain covers are open and free of debris	
														Floors free of carcasses and trash	
														Door handles, wall switches and other high contact areas cleaned, disinfected, wiped dry	
														Fish and crab barrels emptied, cleaned, disinfected	
														Floors free of paper and trash	
														Floor has been mopped clean with proper cleaning or disinfecting solution	
														Lights are functioning	
														Outside drain pipe cleared and disinfected	
			X	X										Fish station looks and smells clean	
SA	S	A	S	A	S	A									
Cleansed By:							Inspected By:							Date:	
Week Ending: 9-17-17															

Gary

From: larance knauss <larance1@LIVE.COM>
Sent: Monday, September 18, 2017 4:10 AM
To: scks.patrol@gmail.com; gary@portofbrookingsharbor.com
Subject: South Coast Knight Security DAR for September 17, 2017

SECURITY OFFICER KNAUSS SEPTEMBER 17, 2017

2045 BOAT RAMP-CLOSED BATHROOM

2200 KITE FIELD
CB
MAIN 2218

2320 MADE CONTACT WITH A WMA BELONG TO SPACE 161, WHO WAS HAVING TROUBLE FINDING HIS TENT SITE, GAVE A CURTSY RIDE TO HIS SITE. SHORTLY AFTER DROPPING HIM OFF OTHER FAMILY MEMBER ARRIVED, CLEARED AT 2334

2353 BOAT RAMP
MAIN
CB 0007

0112 MAIN
BOAT RAMP
CB 0127

0235 BOAT RAMP
MAIN
CB 0246

0320 BOAT RAMP-OPENED BATHROOM
MAIN
CB-OPENED-BATHROOM
KITE FIELD-OPENED BATHROOM
RV PARK 0350

Gary

From: Thomas Sorr <scks.patrol@gmail.com>
Sent: Tuesday, September 19, 2017 3:50 PM
To: gary@portofbrookingsharbor.com
Subject: SOUTH COAST KNIGHT SECURITY LOG FOR POBH SEPT 19, 2017

R. FRANCIS 1005 1-18-2017

2141 BOAT RAMP- RESTROOM CLOSED, MIDD JETTY CLEAR, GOV STOR CLEAR

MAIN AREA- SPORT BASIN LOCKED 2155

2200 CB- RESTROOM CLOSED

RV PARK- GREY MAZDA OR LIC. # 745JVQ PARKING AFTER HOURS

PUB FISH- CLEAR

KITE FIELD- RESTROOM LOCKED 2216

0058 BOAT RAMP-CLEAR

MAIN AREA- CLEAR

CB- CLEAR

KITE FIELD-CLEAR

PUB FISH- CLEAR

RV PARK- CLEAR 0132

0340 KITE FIELD RESTROOM OPEN

CB RESTROOM OPEN

BOAT LAUNCH RESTROOM OPEN 0350

--

Gary

From: Thomas Sorr <scks.patrol@gmail.com>
Sent: Wednesday, September 20, 2017 9:21 PM
To: gary@portofbrookingsharbor.com
Subject: SOUTH COAST KNIGHT SECURITY LOG FOR POBH SEPT 20, 2017

2231 BOAT RAMP- RESTROOM CLOSED, MIDD JETTY CLEAR, GOV STOR CLEAR

MAIN AREA- SPORT BASIN LOCKED

CB- RESTROOM CLOSED

RV PARK- ORLP # 377 GQZ WARNED FOR BEEN IN PORT AFTER 10 PM

PUB FISH- CLEAR

KITE FIELD- RESTROOM LOCKED , ORLP# 586 JWC WARNED FOR BEEN IN PORT AFTER 10 PM
2301

0211 BOAT RAMP-CLEAR

MAIN AREA- RESTROOM CLEAR

CB- CLEAR

KITE FIELD-CLEAR

PUB FISH- CLEAR

RV PARK- RESTROOM CLEAR 0239

0340 RV PARK- CLEAR

KITE FIELD RESTROOM OPEN

CB RESTROOM OPEN

BOAT LAUNCH RESTROOM OPEN 0350

Gary

From: larance knauss <larance1@LIVE.COM>
Sent: Friday, September 22, 2017 4:03 AM
To: scks.patrol@gmail.com; gary@portofbrookingsharbor.com
Subject: South Coast Knight Security DAR for September 21, 2017

SECURITY OFFICER KNAUSS SEPTEMBER 21, 2017

2047 BOAT RAMP-CLOSED BATHROOM

2205 KITE FIELD-CLOSED BATHROOM
CB-CLOSED BATHROOM
MAIN
BOAT RAMP 2230

2316 RV PARK
PUBLIC FISHING
CB
MAIN 2341

0017 MAIN
BOAT RAMP
RV PARK
PUBLIC FISHING
KITE FIELD 0036

0244 KITE FIELD
CB
MAIN 0303

0328 BOAT RAMP-OPENED BATHROOM
MAIN
CB-OPENED BATHROOM
KITE FIELD-OPENED BATHROOM
RV PARK 0345

Gary

From: larance knauss <larance1@LIVE.COM>
Sent: Saturday, September 23, 2017 4:21 AM
To: scks.patrol@gmail.com; gary@portofbrookingsharbor.com
Subject: South Coast Knight Security DAR for September 22, 2017

SECURITY OFFICER KNAUSS SEPTEMBER 22, 2017

2024 BOAT RAMP-CLOSED BATHROOM

2150 KITE FIELD-CLOSED BATHROOM
CB-CLOSED BATHROOM 2158

2214 RV PARK
PUBLIC FISHING
MAIN
BOAT RAMP 2235

2330 CB
MAIN
BOAT RAMP 2345

0105 BOAT RAMP
MAIN
CB
KITE FIELD
PUBLIC FISHING 0128

0239 CB
KITE FIELD
RV PARK 0252

0345 BOAT RAMP-OPENED BATHROOM
CB-OPENED BATHROOM
KITE FIELD-OPENED BATHROOM 0357

Gary

From: larance knauss <larance1@LIVE.COM>
Sent: Sunday, September 24, 2017 4:27 AM
To: scks.patrol@gmail.com; gary@portofbrookingsharbor.com
Subject: South Coast Knight Security DAR for September 23, 2017

SECURITY OFFICER KNAUSS SEPTEMBER 23, 2017

2043 BOAT RAMP-CLOSED BATHROOM

2155 KITE FIELD
CB
MAIN
BOAT RAMP 2220


2335 RV PARK-2 WMA INFORMED PORT CLOSED
PUBLIC FISHING
CB
MAIN 2359

0145 RV PARK
PUBLIC FISHING
KITE FIELD
CB
MAIN 0204

0327 BOAT RAMP
MAIN
CB
KITE FIELD
RV PARK 0355







keep out

PORT

OF ESCOBIOS HARBOUR OREGON

(503) 469-2218

Escobios, Ore

2000

2000